

To: CN=Renaë Cochran/OU=ADA/O=USEPA/C=US@EPA[]
Cc: CN=David Jewett/OU=ADA/O=USEPA/C=US@EPA[]
From: CN=Rick Wilkin/OU=ADA/O=USEPA/C=US
Sent: Thur 7/12/2012 5:08:28 PM
Subject: Fw: Files from 680-78834-2 Pavillion Groundwater
[J78834-2 Std Tal L4 Package Mini Final Report.pdf](#)
[J78834-2 UDS Level 2 Report Rev\(1\) Final Report.pdf](#)
[Project Feedback](#)
www.testamericainc.com

Hi Renaë - is the PR still open for #EP-G12A-0005?

=====
Richard T. Wilkin, Ph.D.
Geochemist
U.S. Environmental Protection Agency
National Risk Management Research Laboratory
919 Kerr Research Drive
Ada, OK 74820

off: 580-436-8874
wilkin.rick@epa.gov
www.epa.gov/ada/

----- Forwarded by Rick Wilkin/ADA/USEPA/US on 07/12/2012 12:07 PM -----

From: "Harvey, Lisa" <lisa.harvey@testamericainc.com>
To: Rick Wilkin/ADA/USEPA/US@EPA
Date: 07/12/2012 11:26 AM
Subject: Files from 680-78834-2 Pavillion Groundwater

Rick, when I compiled this LV4, I noticed that there was no narrative attached to the original LV2 report. I revised the LV2 report as well, and it is being sent along with the LV4 report (attached).

You should now have all LV4 packages.

Regarding the LV4 data package charges.

The original Order for Supplies and Services #EP-G12A-0005 had anticipated a \$108.81 charge.

Is that PO still open?

We never billed the full amount of the anticipated costs, so we could bill against that number if it is still available.

Please let us know if we met your expectations by rating the service you received from TestAmerica on this project by visiting our website at: [Project Feedback](#)

LISA HARVEY

TestAmerica Savannah
THE LEADER IN ENVIRONMENTAL TESTING

Tel: 912.354.7858 e.3221
www.testamericainc.com

Reference: [130802]
Attachments: 2